

HYPERTURN 45



ORDER NOW

TECHNICAL DATA

WORK AREA

MAIN SPINDLE

COUNTER SPINDLE

TOOL TURRET

TOOL TURRET 2

Travel in X/Y/Z

160 (150)/70/510 mm

Max. turning diameter

300 mm

Rapid motion speeds in X/Y/Z

30/15/45 m/min

Bar diameter

45 (51) mm

Swing over bed

430 mm

HYPERTURN 45



TECHNICAL DATA

WORK AREA

MAIN SPINDLE

COUNTER SPINDLE

TOOL TURRET

TOOL TURRET 2

Max. speed

7000 U/min

Max. torque

100 Nm

Max. drive power

15 kW

TECHNICAL DATA

WORK AREA

MAIN SPINDLE

COUNTER SPINDLE

TOOL TURRET

TOOL TURRET 2

Max. speed

7000 U/min

Max. torque

100 Nm

Max. drive power

15 kW

HYPERTURN 45



TECHNICAL DATA

WORK AREA

MAIN SPINDLE

COUNTER SPINDLE

TOOL TURRET

TOOL TURRET 2

VDI size

VDI 25

Driven tools

12

Max. drive power

4 kW

Number of tools

12

Max. speed

6000 U/min

Max. torque

16 Nm

TECHNICAL DATA

WORK AREA

MAIN SPINDLE

COUNTER SPINDLE

TOOL TURRET

TOOL TURRET 2

VDI size

VDI 25

Driven tools

12

Max. drive power

4 kW

Number of tools

12

Max. speed

6000 U/min

Max. torque

16 Nm

HYPERTURN 45



Main Menu

[About Us](#)

[Products](#)

[Services](#)

[Blogs](#)

[Contact us](#)

Our Products

[CNC Machining Solutions](#)

[Cutting Tools](#)

[Metrology Solutions](#)

[3-D printing](#)

[Diamond Tooling Solution](#)

[Industrial Training](#)

Useful Information

[📍 WHP2-Block-A Commercial,13-0, P2AG-](#)

[H03 Office Saih Shuaib 3](#)

[Dubai, United Arab Emirates](#)

[PO Box 127104 \(U.A.E\)](#)

[☎ +971-54-768-7456](#)

[@ info@taqneea.com](#)